



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/535,748	09/27/2005	Joel E White	700355-052696	9053
50828	7590	07/25/2008		
DAVID S. RESNICK NIXON PEABODY LLP 100 SUMMER STREET BOSTON, MA 02110-2131			EXAMINER SKOWRONEK, KARL HEINZ R	
			ART UNIT 1631	PAPER NUMBER
			NOTIFICATION DATE 07/25/2008	DELIVERY MODE ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

bostonpatent@nixonpeabody.com

mstembridge@nixonpeabody.com

Office Action Summary

Application No.

10/535,748

Applicant(s)

WHITE ET AL.

Examiner

KARLHEINZ R. SKOWRONEK

Art Unit

1631

Period for Reply -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 02 May 2008.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 19-29 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 19-29 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-946)
- 3) ☐ Information Disclosure Statement(s) (PTO/SE/US)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 2 May 2008 has been entered.

Claim Status

Claims 19-29 are pending.

Claims 1-18 are cancelled.

Claims 19-29 are being examined.

Declaration filed under 37 CFR 1.132

The declaration under 37 CFR 1.132 filed 7 April 2008 is insufficient to overcome the rejection of claims 19, 20, 21, 24, and 26-28 based upon Liebholz et al. (US Pat 7,029,852), in view of Melker et al.(US PG PUB 2002/0177232) and in view of Heynecker (US PAT 6,057,100) as set forth in the last Office action because: Declarant asserts at paragraph 15 that the substitution of the glass or plastic surfaces of Liebholz with the silk or fiber surfaces of Heynecker is not obvious because the Liebholz apparatus would be less efficient. To support this assertion, declarant states, at paragraph 13, that the surface should be solid because the particles must be impinged on the surface. Declarant also states at

Art Unit: 1631

paragraph 14 that a skilled artisan would not substitute the solid surface of with a porous surface because such a surface would be much less efficient in capturing particles. Declarant's statement is not convincing because the device would still work as intended irrespective of the efficiency based on the substrate's porosity.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

Art Unit: 1631

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

The following rejection is necessitated by amendment.

Claim 19, 20, 21, 24, and 26-28 are rejected under 35 U.S.C. 103(a) as being unpatentable over Liebholz et al.(US Pat 7,029,852), in view of Melker et al.(US PG PUB 2002/0177232) and in view of Heynecker (US PAT 6,057,100).

The claims are drawn to a sensing system comprising a nucleic acid base sensor array; an excitation light source; a detector; a sample chamber; a sampling means; a controller means; and an analyte detection means. In another embodiment, the identification algorithm includes pattern matching and report generation. In another embodiment, the system is remotely controlled. In an embodiment the fibrous substrate is silk.

Liebholz et al. shows a sensing system for the detection and identification of analytes in an air sample. The system of Liebholz et al. is composed of a nucleic acid based sensor array formed through the use of multiple nucleic acid aptamers. The aptamers of Liebholz et al. are capable of detecting analytes. Liebholz et al. shows that the bioreceptor aptamers are on the substrate (col. 4, line 3-4). Thus, impingement of the analyte occurs as result recognition of the analyte by an aptamer (col. 5, line 30-37). Liebholz et al. teach that upon binding of analyte the aptamers produce a detectable signal. The signal is detected by a detector array (col. 4, line 66-67). The sensor array is housed within a sampling

Art Unit: 1631

chamber that is combined with a sampling means to bring air into contact with the sensor array (col. 5, line 38-48). In figure 8, Liebholz et al. shows a microcontroller/ control means that is communication with the sampling means. The controller provides an analyte identification algorithm (col. 11, line 9-20). Liebholz et al. shows an embodiment in which the system is remotely controlled (figure 8). Liebholz et al. shows that a sampling algorithm is employed that opens or closes a trapdoor for a detector (col. 5 line 15-17). Liebholz et al. teach that the activation of the sensor array results in a spatio-temporal response that is processed (col. 5, line 5-12). Liebholz et al. teach a processing system that produces a report.

Liebholz et al. do not teach a pattern matching that is a neural net or a nucleic acid array formed on a fibrous or particulate support.

Heynecker shows that nucleic acid microarrays can be formed on a number of different substrate. Heynecker shows that natural fibers such as silk are used as solid supports for microarray (col. 3, line 15-35).

Melker et al. teach the use of neural network for the generation of comparisons between the detected signal and a known pattern [0057].

It would have been obvious to modify the sensor apparatus of Liebholz et al. with the nucleic acid microarray substrates of Heynecker because all the claimed elements were known in the prior art and one skilled in the art could have combined the elements as claimed by known methods with no change in their respective function; the combination would have yielded nothing more than predictable results to one of ordinary skill in the art at the time of the invention. It

would have been further obvious to modify the sensing system of Liebholt et al. with the neural network analysis of patterns of Melker et al. because Melker et al. shows neural networks have the advantage of enabling the device to understand the significance of sensor array output [0057]. Neural networks are used for self-learning of computational devices.

Response to Arguments

With regards to applicants remarks filed 7 April 2008, applicant argues that a skilled artisan would not make the modification of the apparatus of Liebholt et al. from using a solid substrate to the use of a porous substrate. To make the argument applicant relies on the declaration of Dr. Gary Settles. Applicant argues that the replacement of the solid support in the Liebholt et al. apparatus with a porous substrate of Heynecker et al. would make the function of the Liebholt et al. apparatus less efficient. The argument is not persuasive because porous and non-porous substrates of Liebholt et al. and Heynecker are solid substrates. Applicant has misconstrued and confused the teachings of Heynecker with the teachings of Liebholt et al. Liebholt et al. shows that porous filters can be used to filter larger particle from smaller particles such as vapors and particles (col. 4, lines 3-16). Heynecker shows a solid substrate surface that can be constructed from a plurality of materials, including silk, a porous solid substrate (col. 3, lines 16-35). Applicant argues that one of ordinary skill would not have made the modification to replace the glass solid substrate of Liebholt to use a silken solid substrate of Heynecker. The argument is not persuasive because Heynecker shows that silk as well as a plurality of other materials are

suitable as solid supports. The argument is not persuasive and the rejections are maintained.

Claims 20, 22 and 25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Liebholz et al. (US Pat 7,029,852), in view of Melker et al. (US PGPUB 2002/0177232) and in view of Heynecker (US PAT 6,057,100) as applied to claims 19, 20, 21, 24, and 26- 28 above, and further in view of Sunshine et al. (US pat 6,234,006).

The claims are drawn to a sensing system comprising a nucleic acid base sensor array; an excitation light source; a detector; a sample chamber; a sampling means; a controller means; and an analyte detection means. In another embodiment, the identification algorithm includes pattern matching and report generation. In another embodiment, the system is remotely controlled.

Liebholz et al. in view of Melker et al. and in view of Heynecker as applied to claims 19, 20, 21, 24 and 26-28 shows a sensing system for the detection and identification of analytes in an air sample. The system of Liebholz et al. is composed of a nucleic acid based sensor array formed through the use of multiple nucleic acid aptamers. The aptamers of Liebholz et al. are capable of detecting analytes. Liebholz et al. teach that upon binding of analyte the aptamers produce a detectable signal. The signal is detected by a detector array (col. 4, line 66-67). The sensor array is housed within a sampling chamber that is combined with a sampling means to bring air into contact with the sensor array (col. 5, line 38-48). In figure 8, Liebholz et al. shows a microcontroller/ control

Art Unit: 1631

means that is communication with the sampling means. The controller provides an analyte identification algorithm (col. 11, line 9-20). Liebholz et al. shows an embodiment in which the system is remotely controlled (figure 8). Liebholz et al. shows that a sampling algorithm is employed that opens or closes a trapdoor for a detector (col. 5 line 15-17). Liebholz et al. teach that the activation of the sensor array results a in a spatio-temporal response that is processed (col. 5, line 5-12). Liebholz et al. teach a processing system that produces a report.

Liebholz et al. in view of Melker et al. and in view of Heynecker as applied to claims 19, 20, 21, 24 and 26-28 does not shows a sensing system that is specifically attached to a shipping container or that is hand held.

Sunshine et al. shows the application of a sensing system to a shipping container (col.24, line 51-52 and col. 25, line 27-28). Sunshine et al. shows a sensing system that is hand held (col. 2, line 60).

It would have been further obvious to modify the sensing system of Liebholz et al. in view of Melker et al. and in view of Heynecker with the portability of a handheld apparatus because Sunshine et al. shows that a handheld system provides the advantage of being small and light weight (abstract).

Response to Arguments

Applicant's arguments filed 7 April 2008 have been fully considered but they are not persuasive. Applicant argues that a skilled artisan would not make the modification of the apparatus of Liebholz et al. from using a solid substrate to the use of a porous substrate. The argument is not persuasive for the reasons

Art Unit: 1631

provided above for Liebholz et al. (US Pat 7,029,852), in view of Melker et al.(US PGPUB 2002/0177232) and in view of Heynecker (US PAT 6,057,100) as applied to claims 19, 20, 21, 24, and 26- 28 above. The rejection is maintained.

Claims 20 and 23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Liebholz et al.(US Pat 7,029,852), in view of Melker et al.(US PGPUB 2002/0177232) and in view of Heynecker (US PAT 6,057,100) as applied to claims 19, 20, 21, 24 and 26-28 above, and further in view of Vivekananda (US PGPUB 2004/0023266).

The claims are drawn to a sensing system comprising a nucleic acid base sensor array; an excitation light source; a detector; a sample chamber; a sampling means; a controller means; and an analyte detection means. In another embodiment, the identification algorithm includes pattern matching and report generation. In another embodiment, the system is remotely controlled.

Liebholz et al. in view of Melker et al. and in view of Heynecker as applied to claims 19, 20, 21, 24 and 26-28 shows a sensing system for the detection and identification of analytes in an air sample. The system of Liebholz et al. is composed of a nucleic acid based sensor array formed through the use of multiple nucleic acid aptamers. The aptamers of Liebholz et al. are capable of detecting analytes. Liebholz et al. teach that upon binding of analyte the aptamers produce a detectable signal. The signal is detected by a detector array (col. 4, line 66-67). The sensor array is housed within a sampling chamber that is combined with a sampling means to bring air into contact with the sensor array

Art Unit: 1631

(col. 5, line 38-48). In figure 8, Liebholz et al. shows a microcontroller/ control means that is communication with the sampling means. The controller provides an analyte identification algorithm (col. 11, line 9-20). Liebholz et al. shows an embodiment in which the system is remotely controlled (figure 8). Liebholz et al. shows that a sampling algorithm is employed that opens or closes a trapdoor for a detector (col. 5 line 15-17). Liebholz et al. teach that the activation of the sensor array results a in a spatio-temporal response that is processed (col. 5, line 5-12). Liebholz et al. teach a processing system that produces a report.

Liebholz et al. in view of Melker et al. and in view of Heynecker as applied to claims 19, 20, 21, 24 and 26-28 does not shows a sensing system that is specifically attached to an X-ray screening machine.

Vivekananda et al. teach the system is applied to airport detection systems reading on X-ray screening machine [0029].

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the sensing system of Liebholz et al. in view of Melker et al. and in view of Heynecker with the application of the sensing system to a shipping container as in Vivekananda et al. because Vivekananda et al. teach the device fulfils the need for a rapid and sensitive method to detect and identify pathogenic spores of anthrax [0010-0011].

Response to Arguments

Applicant's arguments filed 7 April 2008 have been fully considered but they are not persuasive. Applicant argues that a skilled artisan would not make the modification of the apparatus of Liebholz et al. from using a solid substrate to

Art Unit: 1631

the use of a porous substrate. The argument is not persuasive for the reasons provided above for Liebholz et al. (US Pat 7,029,852), in view of Melker et al. (US PG PUB 2002/0177232) and in view of Heynecker (US PAT 6,057,100) as applied to claims 19, 20, 21, 24, and 26- 28 above. The rejection is maintained.

Claims 19, 20, and 29 are rejected under 35 U.S.C. 103(a) as being unpatentable over Liebholz et al. (US Pat 7,029,852), in view of Melker et al. (US PG PUB 2002/0177232) and in view of Heynecker (US PAT 6,057,100) as applied to claims 19, 20, 21, 24 and 26-28 above, and further in view of Klempner et al. (2002/0187464).

Claim 29 is directed to a substrate that is fiberglass.

Liebholz et al. in view of Melker et al. and in view of Heynecker as applied to claims 19, 20, 21, 24 and 26-28 above shows a sensing system with a microarray formed on a fibrous or particulate substrate.

Liebholz et al. in view of Melker et al. and in view of Heynecker as applied to claims 19, 20, 21, 24 and 26-28 above do not shows a substrate that is fiberglass.

Klempner et al. shows that microarray substrates can be formed from fiberglass [0049]. Klempner et al. shows that affinity ligand receptors can be oligonucleotides, reading on aptamers [0014]. Klempner et al. shows that the solid support can be particulate either beads, particles, or spheres.

It would have been obvious to one of ordinary skill in the art to modify the sensing apparatus of Liebholz et al. in view of Melker et al. and in view of

Art Unit: 1631

Heynecker as applied to claims 19, 20, 21, 24 and 26-28 above with the fiberglass substrate of Klempner et al. because the substitution of one type of solid support for another would have yielded predictable results.

Response to Arguments

Applicant's arguments filed 7 April 2008 have been fully considered but they are not persuasive. Applicant argues that a skilled artisan would not make the modification of the apparatus of Liebholz et al. from using a solid substrate to the use of a porous substrate. The argument is not persuasive for the reasons provided above for Liebholz et al. (US Pat 7,029,852), in view of Melker et al. (US PGPUB 2002/0177232) and in view of Heynecker (US PAT 6,057,100) as applied to claims 19, 20, 21, 24, and 26- 28 above. The rejection is maintained.

Conclusion

This is a RCE of applicant's earlier Application No. 10/535,748. All claims are drawn to the same invention claimed in the earlier application and could have been finally rejected on the grounds and art of record in the next Office action if they had been entered in the earlier application. Accordingly, **THIS ACTION IS MADE FINAL** even though it is a first action in this case. See MPEP § 706.07(b). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory

Art Unit: 1631

period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no, however, event will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to KARLHEINZ R. SKOWRONEK whose telephone number is (571) 272-9047. The examiner can normally be reached on 8:00am-5:00pm Monday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Marjorie Moran can be reached on (571) 272-0720. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1631

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

16 July 2008

/K. R. S./

Examiner, Art Unit 1631

/John S. Brusca/

Primary Examiner, Art Unit 1631